



Certificate of Analysis

Customer Information			Testing Facility		
Client:	Evolution Distro		Lab:	Cora Science, LLC	
Attention:	(407) 342-1669		Address	8000 Anderson Square, STE 113	
Address:	226 NW 4th Avenue			Austin, Texas 78757	
	Hallandale Beach, FL 33009		Contact:	info@corascience.com	
				(512) 856-5007	

Sample Image(s)	Sample Information	
	Name:	0706-RAP
	Lot Number:	18426CBMIT175-FP
	Description:	Ready-to-drink beverage
	Condition:	Good
	Job ID:	ISO07602
	Sample ID:	I21271
	Received:	09JUL2026
	Completed:	13JUL2026
	Issued:	13JUL2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)		Method Code: T102		Tested: 11JUL2026 0841		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Mitragynine	Report Results	131	mg/unit	0.27	N/A	
7-Hydroxymitragynine	Report Results	0.436	mg/unit	0.036	N/A	
Paynantheine	Report Results	8.05	mg/unit	0.27	N/A	
Speciogynine	Report Results	6.46	mg/unit	0.27	N/A	
Speciociliatine	Report Results	2.16	mg/unit	0.27	N/A	
Total Mitragyna Alkaloids	Report Results	148	mg/unit	0.27	N/A	

Mitragyna Alkaloids (UHPLC-DAD)		Method Code: T102		Tested: 11JUL2026 0841		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Mitragynine	Report Results	0.0367	w/w%	0.000075	N/A	
7-Hydroxymitragynine	Report Results	0.000123	w/w%	0.0000100	N/A	
Paynantheine	Report Results	0.00226	w/w%	0.000075	N/A	
Speciogynine	Report Results	0.00181	w/w%	0.000075	N/A	
Speciociliatine	Report Results	0.000606	w/w%	0.000075	N/A	
Total Mitragyna Alkaloids	Report Results	0.0415	w/w%	0.000075	N/A	

Loss on Drying		Method Code: T505		Tested: 10JUL2026 1132		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Loss on Drying	Report Results	99.6	%	0.1	N/A	

7-Hydroxymitragynine Limit (0.04%)		Method Code: 813		Tested: 11JUL2026 0841		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
7-Hydroxymitragynine	NMT 400 PPM	307	ppm	25	PASS	

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

Microbial Examination		Method Code: T005		Tested: 13JUL2026 0941	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000 CFU/g	<LOQ	CFU/g	10 CFU/g	PASS
Total Yeast and Mold	NMT 1,000 CFU/g	<LOQ	CFU/g	10 CFU/g	PASS
Total Coliforms	NMT 100 CFU/g	<LOQ	CFU/g	10 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS

Elemental Impurities (ICP-MS)		Method Code: T301		Tested: 10JUL2026 1210	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.50	<LOQ	ug/g	0.006	PASS
Cadmium	NMT 0.50	<LOQ	ug/g	0.002	PASS
Mercury	NMT 0.20	<LOQ	ug/g	0.002	PASS
Lead	NMT 0.50	<LOQ	ug/g	0.002	PASS

pH (Acidified Food)		Method Code: T502		Tested: 10JUL2026 0844	
PARAMETER	SPECIFICATION	RESULT	UNIT	RANGE	NOTES
pH	Report Results	3.78	N/A	2 - 12	N/A

Unit Weight Analysis (Gravimetric)		Method Code: T503		Tested: 09JUL2026 2134	
PARAMETER	SPECIFICATION	RESULT	UNIT	RANGE	NOTES
Density	Report Results	1.004	g/mL	0.5-1.5	N/A

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured density and package specified fill volume. T813 results are reported on a dry-weight basis (DWB). Reported values converted from T102 results using the laboratory-measured loss on drying by T505 for each sample:
DWB w/w% = (as-received w/w%) ÷ (1 – moisture%/100).

Revision History


Report ID: 166a6696-2f93-483b-a92b-86dd074b5aa4
rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
		Department:	Management
Name:	Tyler West	Date:	13JUL2026