

Strawberry Razz

Lab ID:

METRC Batch: ; METRC Sample:
Sample ID: 2408PHS1099.4328
Strain: Strawberry Razz
Matrix: Ingestible
Type: Beverage
Sample Size: 1 units; Batch:

Produced:
Collected:
Received: 08/01/2024
Completed: 08/01/2024
Batch#: 240731-2

Producer
Dialed Moods
Lic. #
181 W Huntington DR
Monrovia, CA 91016



Summary

Test	Date Tested	Result
Microbials	08/01/2024	Pass
Mycotoxins	08/01/2024	Pass
Pesticides	08/01/2024	Pass
Heavy Metals	08/01/2024	Pass

Vitamins and Minerals

Pass
Complete

Analyte	LOQ	Results	Results
	mg/g	mg/g	mg/Unit
7-Hydroxy Mitragynine	0.01	ND	ND
Mitraphyline	0.01	ND	ND
Mitragynine	0.01	0.0936	36.14
Speciogynine	0.01	ND	2.96
Speciociliatine	0.01	0.03	11.85
Paynantheine	0.01	0.0122	4.74
Caffeine	0.01	0.406	157.02

Notes:



Rkeledjian

Raquel Keledjian
Lab Director
08/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Strawberry Razz

Lab ID:

METRC Batch: ; METRC Sample:
Sample ID: 2408PHS1099.4328
Strain: Strawberry Razz
Matrix: Ingestible
Type: Beverage
Sample Size: 1 units; Batch:

Produced:
Collected:
Received: 08/01/2024
Completed: 08/01/2024
Batch#: 240731-2

Producer
Dialed Moods
Lic. #
181 W Huntington DR
Monrovia, CA 91016

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	PPM	PPM	PPM	µg/g			PPM	PPM	PPM	µg/g	
Abamectin	0.027	0.080	0.300	ND	Pass	Fludioxonil	0.018	0.053	30.000	ND	Pass
Acephate	0.009	0.027	5.000	ND	Pass	Hexythiazox	0.019	0.058	2.000	ND	Pass
Acequinocyl	0.013	0.040	4.000	ND	Pass	Imazalil	0.009	0.028	0.009	ND	Pass
Acetamiprid	0.005	0.015	5.000	ND	Pass	Imidacloprid	0.013	0.038	3.000	ND	Pass
Aldicarb	0.008	0.025	0.008	ND	Pass	Kresoxim Methyl	0.014	0.041	1.000	ND	Pass
Azoxystrobin	0.009	0.026	40.000	ND	Pass	Malathion	0.012	0.035	5.000	ND	Pass
Bifenazate	0.008	0.025	5.000	ND	Pass	Metalaxyl	0.009	0.026	15.000	ND	Pass
Bifenthrin	0.019	0.056	0.500	ND	Pass	Methiocarb	0.025	0.075	0.025	ND	Pass
Boscalid	0.019	0.056	10.000	ND	Pass	Methomyl	0.016	0.048	0.100	ND	Pass
Captan	0.057	0.171	5.000	ND	Pass	Mevinphos	0.030	0.089	0.030	ND	Pass
Carbaryl	0.006	0.019	0.500	ND	Pass	Myclobutanil	0.021	0.063	9.000	ND	Pass
Carbofuran	0.005	0.014	0.005	ND	Pass	Naled	0.015	0.046	0.500	ND	Pass
Chlorantraniliprole	0.013	0.038	40.000	ND	Pass	Oxamyl	0.017	0.052	0.200	ND	Pass
Chlordane	0.030	0.100	0.030	ND	Pass	Paclobutrazol	0.012	0.036	0.012	ND	Pass
Chlorfenapyr	0.033	0.100	0.033	ND	Pass	Parathion Methyl	0.030	0.100	0.030	ND	Pass
Chlorpyrifos	0.010	0.030	0.010	ND	Pass	Pentachloronitrobenzene	0.030	0.100	0.200	ND	Pass
Clofentezine	0.009	0.028	0.500	ND	Pass	Permethrin	0.008	0.025	20.000	ND	Pass
Coumaphos	0.007	0.022	0.007	ND	Pass	Phosmet	0.009	0.027	0.200	ND	Pass
Cyfluthrin	0.032	0.097	1.000	ND	Pass	Piperonyl Butoxide	0.007	0.021	8.000	ND	Pass
Cypermethrin	0.018	0.054	1.000	ND	Pass	Prallethrin	0.011	0.033	0.400	ND	Pass
Daminozide	0.022	0.067	0.022	ND	Pass	Propiconazole	0.010	0.031	20.000	ND	Pass
Diazinon	0.008	0.023	0.200	ND	Pass	Propoxur	0.034	0.100	0.034	ND	Pass
Dichlorvos	0.015	0.045	0.015	ND	Pass	Pyrethrins	0.009	0.026	1.000	ND	Pass
Dimethoate	0.006	0.017	0.006	ND	Pass	Pyridaben	0.008	0.023	3.000	ND	Pass
Dimethomorph	0.017	0.050	20.000	ND	Pass	Spinetoram	0.030	0.100	3.000	ND	Pass
Ethoprophos	0.006	0.018	0.006	ND	Pass	Spinosad	0.150	0.044	3.000	ND	Pass
Etofenprox	0.006	0.018	0.006	ND	Pass	Spiromesifen	0.006	0.018	12.000	ND	Pass
Etoazole	0.007	0.021	1.500	ND	Pass	Spirotetramat	0.018	0.054	13.000	ND	Pass
Fenhexamid	0.013	0.040	10.000	ND	Pass	Spiroxamine	0.008	0.024	0.008	ND	Pass
Fenoxycarb	0.006	0.017	0.006	ND	Pass	Tebuconazole	0.005	0.014	2.000	ND	Pass
Fenpyroximate	0.012	0.037	2.000	ND	Pass	Thiacloprid	0.018	0.054	0.018	ND	Pass
Fipronil	0.034	0.103	0.034	ND	Pass	Thiamethoxam	0.014	0.042	4.500	ND	Pass
Flonicamid	0.013	0.038	2.000	ND	Pass	Trifloxystrobin	0.010	0.031	30.000	ND	Pass

Date Tested: 08/01/2024

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticide detection is determined by LCMS & GCMS, SOP 6.03 & 6.04, 16 CCR § 5719.



Rkeledj

Raquel Keledjian
Lab Director
08/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

Strawberry Razz

Lab ID:

METRC Batch: ; METRC Sample:
Sample ID: 2408PHS1099.4328
Strain: Strawberry Razz
Matrix: Ingestible
Type: Beverage
Sample Size: 1 units; Batch:

Produced:
Collected:
Received: 08/01/2024
Completed: 08/01/2024
Batch#: 240731-2

Producer
Dialed Moods
Lic. #
181 W Huntington DR
Monrovia, CA 91016

Microbials

Pass

Analyte	Results	Status	Analyte	Results	Status
Total Aerobic Count	Not Detected in 1g	Pass	Total Coliform/E.coli	Not Detected in 1g	Pass
Aspergillus flavus	Not Detected in 1g	Pass	E. Coli	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass	Enterobacteriaceae	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass	Salmonella SPP	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass	Total Yeast and Mold	Not Detected in 1g	Pass



pH SOLUTIONS

Date Tested: 08/01/2024

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by qPCR, SOP 6.05, 16 CCR §5720



Raquel Keledjian
Lab Director
08/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

Strawberry Razz

Lab ID:

METRC Batch: ; METRC Sample:
Sample ID: 2408PHS1099.4328
Strain: Strawberry Razz
Matrix: Ingestible
Type: Beverage
Sample Size: 1 units; Batch:

Produced:
Collected:
Received: 08/01/2024
Completed: 08/01/2024
Batch#: 240731-2

Producer
Dialed Moods
Lic. #
181 W Huntington DR
Monrovia, CA 91016

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.002	0.005	4	ND	Pass
B2	0.002	0.005	4	ND	Pass
G1	0.003	0.005	4	ND	Pass
G2	0.002	0.005	4	ND	Pass
Ochratoxin A	0.003	0.009	4	ND	Pass
Total Aflatoxins			20	ND	Pass



pH SOLUTIONS

Date Tested: 08/01/2024

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by LCMS, SOP 6.03 & 6.04, 16 CCR §5721



Raquel Keledjian
Lab Director
08/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

Strawberry Razz

Lab ID:

METRC Batch: ; METRC Sample:
Sample ID: 2408PHS1099.4328
Strain: Strawberry Razz
Matrix: Ingestible
Type: Beverage
Sample Size: 1 units; Batch:

Produced:
Collected:
Received: 08/01/2024
Completed: 08/01/2024
Batch#: 240731-2

Producer
Dialed Moods
Lic. #
181 W Huntington DR
Monrovia, CA 91016

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0167	0.05	0.2	ND	Pass
Cadmium	0.0167	0.05	0.2	ND	Pass
Lead	0.0167	0.05	0.5	0.15	Pass
Mercury	0.0167	0.05	0.1	ND	Pass



pH SOLUTIONS

Date Tested: 08/01/2024

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by ICPMS SOP 6.06, 16 CCR § 5723



Rkeledj

Raquel Keledjian
Lab Director
08/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

Strawberry Razz

Lab ID:

METRC Batch: ; METRC Sample:
Sample ID: 2408PHS1099.4328
Strain: Strawberry Razz
Matrix: Ingestible
Type: Beverage
Sample Size: 1 units; Batch:

Produced:
Collected:
Received: 08/01/2024
Completed: 08/01/2024
Batch#: 240731-2

Producer
Dialed Moods
Lic. #
181 W Huntington DR
Monrovia, CA 91016

Vitamins & Minerals

Complete

Analyte	LOD (%)	Results %	Results mg/g	Results mg/unit
7-Hydroxy Mitragynine			ND	ND
Mitraphyline			ND	ND
Mitragynine			0.0936	36.14
Speciogynine			ND	2.96
Speciociliatine			0.03	11.85
Paynantheine			0.0122	4.74
Caffeine			0.406	157.02



pH SOLUTIONS

Date Tested: 08/01/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



08/01/2024

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

Strawberry Razz

Lab ID:

METRC Batch: ; METRC Sample:
Sample ID: 2408PHS1099.4328
Strain: Strawberry Razz
Matrix: Ingestible
Type: Beverage
Sample Size: 1 units; Batch:

Produced:
Collected:
Received: 08/01/2024
Completed: 08/01/2024
Batch#: 240731-2

Producer
Dialed Moods
Lic. #
181 W Huntington DR
Monrovia, CA 91016

Alkaloids

Not Tested

Analyte	Results	Results	Results
---------	---------	---------	---------



pH SOLUTIONS

Date Tested:

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



08/01/2024

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian