



Certificate of Analysis for

Club 13 Enterprises
8165 State Rd 207
Hastings, FL 32145
Phone: (877) 922-5783

Received: 6/6/2025 @ 21.6 °C
Report ID: 2506341

Sample ID: 2506341-002 S12V4060525.2

ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 06/06/25

Aerobic Plate Count	900	CFU/g
---------------------	-----	-------

CCR.1a: CC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 06/06/25

Total Coliform Bacteria	< 100	CFU/g
-------------------------	-------	-------

ECR.1a: EC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 06/06/25

Escherichia coli	< 100	CFU/g
------------------	-------	-------

GU Pro STEC SLM.2: STEC Salmonella via AOAC PTM 092101 Analyzed 06/10/25

Salmonella spp.	Absent	CFU/100 g	Shiga toxin-producing E. coli (stx)	Absent	CFU/100 g
-----------------	--------	-----------	-------------------------------------	--------	-----------

ICPMS.1: Metals via AOAC 2015.01 Modified (ICP/MS) Analyzed 06/11/25

Arsenic (As)	0.235	mg/kg (ppm)	Cadmium (Cd)	0.0251	mg/kg (ppm)
Lead (Pb)	0.740	mg/kg (ppm)	Mercury (Hg)	0.0184	mg/kg (ppm)

MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 06/11/25

7-Hydroxymitragynine	< 0.0100	%	Isorhynchophylline	< 0.100	%
Mitragynine	1.30	%	Mitraphylline	< 0.100	%
Paynantheine	0.225	%	Speciociliatine	0.306	%
Speciogynine	0.151	%	Total Alkaloids	1.98	%

STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 06/06/25

Staphylococcus aureus	< 100	CFU/g
-----------------------	-------	-------

YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 06/06/25

Yeast and Mold	200	CFU/g
----------------	-----	-------

Reported By: _____

Jake S Hedges, Chemistry Laboratory Supervisor, 6/12/2025